

Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED 04/04/2022

SAMPLE NAME: cbdMD 20ct, 10mg, Cherry High D9 Gummies 200mg

Infused, Non-Inhalable

CULTIVATOR / MANUFACTURER

Business Name: License Number:

Address:

SAMPLE DETAIL

Batch Number: 91501 Sample ID: 220401N012 **DISTRIBUTOR / TESTED**

FOR Business Name: cbdMD

License Number:

Address:

Date Collected: 04/01/2022 Date Received: 04/01/2022

Batch Size:

Sample Size: 1.0 units

Unit Mass: 6.8857 grams per Unit Serving Size: 6.8857 grams per Serving COCMD

HEMP DERIVED

A9 THC

GUMMIES

10 MG THC PER GUMMY

20

CHERRY

HANGE WHITE HANGE

AND THE PER GUMMY





Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: 11.492 mg/unit

Total CBD: 93.701 mg/unit

Sum of Cannabinoids: 117.81 mg/unit

Total Cannabinoids: 117.80 mg/unit

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC = Δ^9 -THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBN Total Cannabinoids = $(\Delta^9$ -THC+0.877*THCa) + (CBD+0.877*CBDa)+

Total Cannabinoids = $(\Delta^{3}-1HC+0.877^{*}THCa) + (CBD+0.877^{*}CBDa) + (CBC+0.877^{*}CBCa) + (CBC+0.87^{*}CBCa) + (CBC+0.87^{*}CBC$

(CBDV+0.877*CBDVa) + Δ8-THC + CBL + CBN

SAFETY ANALYSIS - SUMMARY

 Δ^9 -THC per Unit: \bigcirc PASS

Residual Solvents: PASS

Foreign Material: PASS

Pesticides: **⊘** PASS Mycotoxins: **⊘** PASS

Heavy Metals:

PASS

Microbiology (PCR):

PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 16 Effect Date January 16, 2019. Authority: Section 26013, Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)

Approved by: Josh Wurzer, President Date: 04/04/2022



Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS







Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 11.492 mg/unit Total THC (\Delta^9-THC+0.877*THCa)

TOTAL CBD: 93.701 mg/unit Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 117.80 mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: 2.458 mg/unit Total CBG (CBG+0.877*CBGa)

TOTAL THCV: 0.124 mg/unit Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 5.970 mg/unit Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 0.854 mg/unit Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 04/02/2022

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.004/0.011	± 0.5076	13.608	1.3608
∆ ⁹ -THC	0.002/0.014	± 0.0916	1.669	0.1669
CBC	0.003/0.010	± 0.0279	0.867	0.0867
CBN	0.001/0.007	± 0.0106	0.369	0.0369
CBG	0.002/0.006	± 0.0173	0.357	0.0357
CBDV	0.002/0.012	± 0.0051	0.124	0.0124
CBL	0.003/0.010	± 0.0020	0.055	0.0055
∆ ⁸ -THC	0.01/0.02	0.002	0.04	0.004
THCV	0.002/0.012	± 0.0009	0.018	0.0018
THCa	0.001/0.005	N/A	ND	ND
THCVa	0.002/0.019	N/A	ND	ND
CBDa	0.001/0.026	N/A	ND	ND
CBDVa	0.001/0.018	N/A	ND	ND
CBGa	0.002/0.007	N/A	ND	ND
CBCa	0.001/0.015	N/A	ND	ND
SUM OF CANNABI	NOIDS		17.11 mg/g	1.711%

Unit Mass: 6.8857 grams per Unit / Serving Size: 6.8857 grams per Serving

Δ9-THC per Unit	1100 per-package limit	11.492 mg/unit	PASS
Δ9-THC per Serving		11.492 mg/serving	
Total THC per Unit		11.492 mg/unit	
Total THC per Serving		11.492 mg/serving	
CBD per Unit		93.701 mg/unit	
CBD per Serving		93.701 mg/serving	
Total CBD per Unit		93.701 mg/unit	
Total CBD per Serving		93.701 mg/serving	
Sum of Cannabinoids per Unit		117.81 mg/unit	
Sum of Cannabinoids per Serving		117.81 mg/serving	
Total Cannabinoids per Unit		117.80 mg/unit	
Total Cannabinoids per Serving		117.80 mg/serving	



Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS







Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 04/03/2022 **⊘** PASS

Abamectin 0.03/0.10 0.3 N/A ND PASS Acequinocyl 0.02/007 5 N/A ND PASS Acequinocyl 0.02/007 4 N/A ND PASS Acetamiprid 0.02/008 5 N/A ND PASS Addicarb 0.03/008 2 LOD N/A ND PASS Addicarb 0.03/009 2 LOD N/A ND PASS Biffentard 0.02/005 5 N/A ND PASS Biffenthrin 0.02/005 0.5 N/A ND PASS Captan 0.19/057 5 N/A ND PASS Captan 0.019/057 5 N/A ND PASS Carbaryl 0.02/006 0.5 N/A ND PASS Carboruran 0.02/008 2 LOD N/A ND PASS Chiorantraniliprole 0.04/012 40 N/A ND PASS	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Acequinocyl 0.02/0.07 4 N/A ND PASS Acetamiprid 0.02/0.05 5 N/A ND PASS Aldicarb 0.03/0.08 ≥ LOD N/A ND PASS Azoxystrobin 0.02/0.07 40 N/A ND PASS Bifenzate 0.01/0.04 5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlordeney** 0.03/0.06 ≥ LOD N/A ND PASS Chlordeney** 0.03/0.06 ≥ LOD N/A ND PASS	Abamectin	0.03 / 0.10	0.3	N/A	ND	PASS
Acetamiprid 0.02/0.05 5 N/A ND PASS Aldicarb 0.03/0.08 ½ LOD N/A ND PASS Azoxystrobin 0.02/0.07 40 N/A ND PASS Bifenazate 0.01/0.04 5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Gaptan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ½ LOD N/A ND PASS Chiorantraniliprole 0.04/0.01 ½ LOD N/A ND PASS Chiorantraniliprole 0.04/0.08 ½ LOD N/A ND PASS Chiorantraniliprole 0.04/0.08 ½ LOD N/A ND PASS Chiorantraniliprole 0.03/0.08 ½ LOD N/A <	Acephate	0.02/0.07	5	N/A	ND	PASS
Aldicarb 0.03/0.08 ½ LOD N/A ND PASS Azoxystrobin 0.02/0.07 40 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.05 2.5 N/A ND PASS Carborfuran 0.02/0.05 2.5 N/A ND PASS Carborfuran 0.02/0.05 2.5 N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordrane* 0.03/0.08 2.5 LOD N/A ND PASS Chlordraneyr* 0.03/0.08 2.5 LOD N/A ND PASS Chlordrapyr* 0.03/0.08 2.5 LOD N/A ND PASS Chlordrapyr* 0.03/0.08 2	Acequinocyl	0.02/0.07	4	N/A	ND	PASS
Azoxystrobin 0.02/0.07 40 N/A ND PASS Bifenazate 0.01/0.04 5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chloratraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlordrane* 0.03/0.09 0.5 N/A ND PASS </td <th>Acetamiprid</th> <td>0.02/0.05</td> <td>5</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Acetamiprid	0.02/0.05	5	N/A	ND	PASS
Bifenazate 0.01/0.04 5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordrane* 0.03/0.08 ≥ LOD N/A ND PASS Chlordrane* 0.03/0.09 0.5 N/A ND PASS Chlordranphr 0.03/0.09 0.5 N/A ND PASS Chlordraphr* 0.03/0.09 0.5 N/A ND PASS Chlordraphr* 0.03/0.09 0.5 N/A ND PASS Counaphos 0.02/0.00 1.0 N/A ND PAS	Aldicarb	0.03/0.08	≥ LOD	N/A	ND	PASS
Bifenthrin 0.02/0.05 0.5 N/A ND PASS	Azoxystrobin	0.02/0.07	40	N/A	ND	PASS
Boscalid	Bifenazate	0.01 / 0.04	5	N/A	ND	PASS
Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlorfenapyr* 0.03/0.10 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Dizainon 0.02/0.07 ≥ LOD N/A ND	Bifenthrin	0.02 / 0.05	0.5	N/A	ND	PASS
Carbaryl 0.02/0.06 0.5 N/A NID PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniiiprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlordane* 0.03/0.01 ≥ LOD N/A ND PASS Chlordane* 0.03/0.01 ≥ LOD N/A ND PASS Chlordane* 0.03/0.01 ≥ LOD N/A ND PASS Chlordane* 0.03/0.02 ≥ LOD N/A ND PASS Chlordane* 0.02/0.06 ≥ LOD N/A ND PASS Chlordane* 0.02/0.07 ≥ LOD N/A ND PASS Colordane* 0.02/0.07 ≥ LOD N/A ND PASS Cyfuthrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND	Boscalid	0.03/0.09	10	N/A	ND	PASS
Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Chlorpyrifos 0.03/0.09 0.5 N/A ND PASS Colfentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Diazinon 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND	Captan	0.19 / 0.57	5	N/A	ND	PASS
Chlorantraniliprole 0.04 / 0.12 40 N/A ND PASS Chlordane* 0.03 / 0.08 ≥ LOD N/A ND PASS Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND PASS Chlorpyrifos 0.02 / 0.07 ≥ LOD N/A ND PASS Colfentezine 0.03 / 0.09 0.5 N/A ND PASS Coumaphos 0.02 / 0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12 / 0.38 1 N/A ND PASS Cypermethrin 0.11 / 0.32 1 N/A ND PASS Diazinon 0.02 / 0.05 0.2 N/A ND PASS Diazinon 0.02 / 0.05 0.2 N/A	Carbaryl	0.02/0.06	0.5	N/A	ND	PASS
Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlorfenapyr* 0.03/0.10 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Colentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dimethores (DDVP) 0.03/0.08 ≥ LOD N/A ND	Carbofuran	0.02/0.05	≥ LOD	N/A	ND	PASS
Chlorfenapyr* 0.03/0.10 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.09 ≥ LOD N/A ND PASS Ethoprophos 0.03/0.09 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND<	Chlorantraniliprole	0.04 / 0.12	40	N/A	ND	PASS
Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofenprox 0.03/0.00 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 ≥ LOD N/A ND PASS Fenexycarb 0.03/0.08 ≥ LOD N/A ND	Chlordane*	0.03/0.08	≥ LOD	N/A	ND	PASS
Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofenprox 0.03/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenexycarb 0.03/0.08 ≥ LOD N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND	Chlorfenapyr*	0.03/0.10	≥ LOD	N/A	ND	PASS
Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.08 ≥ LOD N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenexamid 0.03/0.09 10 N/A ND PASS Fenexycarb 0.03/0.08 ≥ LOD N/A ND	Chlorpyrifos	0.02/0.06	≥ LOD	N/A	ND	PASS
Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND	Clofentezine	0.03/0.09	0.5	N/A	ND	PASS
Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenbexamid 0.03/0.09 10 N/A ND PASS Fenbexamid 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND	Coumaphos	0.02/0.07	≥ LOD	N/A	ND	PASS
Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND	Cyfluthrin	0.12/0.38	1	N/A	ND	PASS
Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND	Cypermethrin	0.11/0.32	Í	N/A	ND	PASS
Dichlorvos (DDVP) 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethoate 0.03 / 0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofenprox 0.02 / 0.06 ≥ LOD N/A ND PASS Etoxazole 0.02 / 0.06 1.5 N/A ND PASS Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.10 2 N/A ND PASS Imazalil 0.02 / 0.07 2 N/A ND PASS Imidacloprid 0.04 / 0.11 3 N/A	Daminozide	0.02/0.07	≥ LOD	N/A	ND	PASS
Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Imazalil 0.02/0.07 2 N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS<	Diazinon	0.02/0.05	0.2	N/A	ND	PASS
Dimethomorph 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofenprox 0.02 / 0.06 ≥ LOD N/A ND PASS Etoxazole 0.02 / 0.06 1.5 N/A ND PASS Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02 / 0.06 2 N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.10 2 N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Hexythiazox 0.02 / 0.07 2 N/A ND PASS Imazalil 0.02 / 0.06 ≥ LOD N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A	Dichlorvos (DDVP)	0.03/0.09	≥ LOD	N/A	ND	PASS
Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Imazalil 0.02/0.07 2 N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS <th>Dimethoate</th> <td>0.03/0.08</td> <td>≥ LOD</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Dimethoate	0.03/0.08	≥ LOD	N/A	ND	PASS
Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Dimethomorph	0.03/0.09	20	N/A	ND	PASS
Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Ethoprophos	0.03/0.10	≥ LOD	N/A	ND	PASS
Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Etofenprox	0.02/0.06	≥ LOD	N/A	ND	PASS
Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Etoxazole	0.02/0.06	1.5	N/A	ND	PASS
Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fenhexamid	0.03/0.09	10	N/A	ND	PASS
Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fenoxycarb	0.03/0.08	≥ LOD	N/A	ND	PASS
Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fenpyroximate	0.02/0.06	2	N/A	ND	PASS
Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fipronil	0.03/0.08	≥ LOD	N/A	ND	PASS
Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Flonicamid	0.03/0.10	2	N/A	ND	PASS
Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fludioxonil	0.03/0.10	30	N/A	ND	PASS
Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Hexythiazox	0.02/0.07	2	N/A	ND	PASS
Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	lmazalil	0.02/0.06	≥ LOD	N/A	ND	PASS
Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Imidacloprid	0.04/0.11	3	N/A	ND	PASS
Metalaxyl 0.02/0.07 15 N/A ND PASS	Kresoxim-methyl	0.02/0.07	1	N/A	ND	PASS
· .	Malathion	0.03/0.09	5	N/A	ND	PASS
Methiocarb 0.02 / 0.07 ≥ LOD N/A ND PASS	Metalaxyl	0.02/0.07	15	N/A	ND	PASS
	Methiocarb	0.02/0.07	≥ LOD	N/A	ND	PASS

Continued on next page



Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS







Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 04/03/2022 continued PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Methomyl	0.03/0.10	0.1	N/A	ND	PASS
Mevinphos	0.03/0.09	≥ LOD	N/A	ND	PASS
Myclobutanil	0.03/0.09	9	N/A	ND	PASS
Naled	0.02/0.07	0.5	N/A	ND	PASS
Oxamyl	0.04/0.11	0.2	N/A	ND	PASS
Paclobutrazol	0.02/0.05	≥ LOD	N/A	ND	PASS
Parathion-methyl	0.03/0.10	≥ LOD	N/A	ND	PASS
Pentachloronitrobenzene*	0.03/0.09	0.2	N/A	ND	PASS
Permethrin	0.04/0.12	20	N/A	ND	PASS
Phosmet	0.03/0.10	0.2	N/A	ND	PASS
Piperonyl Butoxide	0.02/0.07	8	N/A	ND	PASS
Prallethrin	0.03/0.08	0.4	N/A	ND	PASS
Propiconazole	0.02/0.07	20	N/A	ND	PASS
Propoxur	0.03/0.09	≥ LOD	N/A	ND	PASS
Pyrethrins	0.04 / 0.12	1	N/A	ND	PASS
Pyridaben	0.02/0.07	3	N/A	ND	PASS
Spinetoram	0.02/0.07	3	N/A	ND	PASS
Spinosad	0.02/0.07	3	N/A	ND	PASS
Spiromesifen	0.02/0.05	12	N/A	ND	PASS
Spirotetramat	0.02/0.06	13	N/A	ND	PASS
Spiroxamine	0.03/0.08	≥ LOD	N/A	ND	PASS
Tebuconazole	0.02/0.07	2	N/A	ND	PASS
Thiacloprid	0.03/0.10	≥ LOD	N/A	ND	PASS
Thiamethoxam	0.03/0.10	4.5	N/A	ND	PASS
Trifloxystrobin	0.03/0.08	30	N/A	ND	PASS



Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by I.C.-MS

MYCOTOXIN TEST RESULTS - 04/03/2022 PASS

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (µg/kg)	MEASUREMENT UNCERTAINTY (μg/kg)	RESULT (µg/kg)	RESULT
Aflatoxin B1	2.0/6.0		N/A	ND	
Aflatoxin B2	1.8 / 5.6		N/A	ND	
Aflatoxin G1	1.0/3.1		N/A	ND	
Aflatoxin G2	1.2/3.5		N/A	ND	
Total Aflatoxin		20		ND	PASS
Ochratoxin A	6.3 / 19.2	20	N/A	ND	PASS



Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS







Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

RESIDUAL SOLVENTS TEST RESULTS - 04/03/2022 ✓ PASS

	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
	Propane	10/20	5000	N/A	ND	PASS
	n-Butane	10/50	5000	N/A	ND	PASS
	n-Pentane	20/50	5000	N/A	ND	PASS
	n-Hexane	2/5	290	N/A	ND	PASS
	n-Heptane	20/60	5000	N/A	ND	PASS
	Benzene	0.03 / 0.09	1	N/A	ND	PASS
Ī	Toluene	7/21	890	N/A	ND	PASS
	Total Xylenes	50/160	2170	N/A	ND	PASS
Ī	Methanol	50/200	3000	N/A	ND	PASS
	Ethanol	20/50	5000	± 71.4	2470	PASS
	2-Propanol (Isopropyl Alcohol)	10/40	5000	N/A	ND	PASS
	Acetone	20/50	5000	N/A	ND	PASS
	Ethyl Ether	20/50	5000	N/A	ND	PASS
	Ethylene Oxide	0.3/0.8	1	N/A	ND	PASS
	Ethyl Acetate	20/60	5000	N/A	ND	PASS
	Chloroform	0.1/0.2	1	N/A	ND	PASS
	Dichloromethane (Methylene Chloride)	0.3/0.9	1	N/A	ND	PASS
	Trichloroethylene	0.1/0.3	1	N/A	ND	PASS
4	1,2-Dichloroethane	0.05/0.1	1	N/A	ND	PASS
	Acetonitrile	2/7	410	N/A	ND	PASS



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS





COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Arsenic	0.02/0.1	1.5	N/A	ND	PASS
Cadmium	0.02/0.05	0.5	N/A	ND	PASS
Lead	0.04/0.1	0.5	N/A	<loq< th=""><th>PASS</th></loq<>	PASS
Mercury	0.002/0.01	3	N/A	ND	PASS



Microbiology Analysis

PCR

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

MICROBIOLOGY TEST RESULTS (PCR) - 04/03/2022 PASS

COMPOUND		ACTION LIMIT	RESULT	RESULT
Shiga toxin-producing I	Escherichia coli	Not Detected in 1g	ND	PASS
Salmonella spp.		Not Detected in 1g	ND	PASS



Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS



10MG THC CHERRY GUMMY | DATE ISSUED 04/04/2022



Visual analysis includes, but is not limited to, sand, soil, cinders, dirt, mold, hair, insect fragments, and mammalian excreta.

Method: QSP 1226 - Analysis of Foreign Material in Cannabis and Cannabis Products

FOREIGN MATERIAL TEST RESULTS - 04/02/2022 PASS

COMPOUND	ACTION LIMIT	RESULT
Total Sample Area Covered by Sand, Soil, Cinders, or Dirt	>25%	PASS
Total Sample Area Covered by Mold	>25%	PASS
Total Sample Area Covered by an Imbedded Foreign Material	>25%	PASS
Insect Fragment Count	> 1 per 3 grams	PASS
Hair Count	> 1 per 3 grams	PASS
Mammalian Excreta Count	> 1 per 3 grams	PASS

NOTES

CoA Amended Update: Order Details-Unit Mass

